


TruDefinition®

DURATION® DESIGNER COLORS COLLECTION



Shingles with Patented SureNail® Technology





Bright. Bold. Brilliant. The world around us is full of color. From the cars we drive to the appliances we buy, we choose the colors that reflect our personal style. Don't overlook the power of using color on your roof to help coordinate exterior accents like paint, trim and even landscaping. If you're looking to add more drama to your home or give it a knockout new look, you'll be amazed at the difference that TruDefinition® Duration® Designer Colors Collection Shingles can make – they offer brilliant impact and curb appeal like you've never imagined.

When the deep dependability of your new roof is cloaked in style, the end result will be undeniably spectacular.

Duration® Designer Shingles Offer:

- The advanced performance of patented SureNail® Technology
- A TruDefinition® Color Platform
- A Limited Lifetime Warranty*/‡ for as long as you own your home
- The protection of a 130-MPH wind warranty*
- StreakGuard™ Protection with a 25-year Algae Resistance Limited Warranty^{3/§}



Sedona Canyon¹

Don't let black streaks lower the value or curb appeal of your home.

Owens Corning blends specialized copper-lined granules, developed by 3M, a leading producer of roofing granules, into our colorful shingles. This helps resist blue-green algae growth.³

DURATION® DESIGNER COLORS COLLECTION

Shingles with Patented SureNail® Technology



Aged Copper¹



Black Sable^{1/4}



Bourbon¹



Merlot1



Pacific Wave¹



Sand Dune¹



Sedona Canyon¹



Storm Cloud¹



Summer Harvest¹

COLOR DISCLAIMER

As color experts, we know getting the shingle color right is a big part of any roofing purchase. Due to printing color variations, in addition to viewing shingle literature, we suggest you request an actual shingle sample to see how it will appear on your home and with your home's exterior elements in various natural lighting conditions. Lastly, we recommend you verify your color choice by seeing it installed on an actual home; your roofing contractor or supplier can provide a sample and may be able to direct you to a local installation.



THE FINISHING TOUCH OWENS CORNING* HIP & RIDGE SHINGLES


Owens Corning® Hip & Ridge Shingles are uniquely color matched to Duration® Designer Colors Collection Shingles. The multiple color blends are only available from Owens Corning® Roofing and offer a finished look for the roof.





THE PROOF IS IN THE PERFORMANCE

It's the nailing line on your shingles. The difference between a good shingle and a great shingle is having Patented SureNail® Technology, only from Owens Corning.



→ Breakthrough Design

Patented SureNail® Technology is the first and only reinforced nailing zone on the face of the shingle.


This tough, engineered wovenfabric strip is embedded in the shingle to create an easy-to-see, strong, durable fastener zone.



SureNail® features up to a 200% wider bond between the shingle layers in the nailing zone over standard shingles.

Lo Triple Layer Protection® +

A unique "triple layer" of reinforcement occurs when the fabric overlays the two shingle layers, providing increased protection against "nail pull" from the wind.



WE PUT THE REST TO THE TEST

Duration® Series Shingles vs. top two competitors†



2.5X
BETTER
NAIL PULL-THROUGH
RESISTANCE



Up to

STATE

BETTER

NAIL BLOW-THROUGH

RESISTANCE




2X
BETTER
DELAMINATION
RESISTANCE



TOTAL PROTECTION SIMPLIFIED™

It takes more than just shingles to protect a home. It takes an integrated system of components and layers designed to perform in three critical areas. The Owens Corning® Total Protection Roofing System® gives you the assurance that all of your Owens Corning® roofing components are working together to help increase the performance of your roof.



ADD COMFORT AND ENERGY PERFORMANCE

PINK® FIBERGLAS® BLOWN-IN ATTIC INSULATION

- See actual warranty for complete details, limitations and requirements.

 40-Year Limited Warranty on commercial projects.
- † Owens Corning testing when following the manufacturer's installation instructions and nailed through the middle of the allowable nail zone.
- ** Tru-Bond is a proprietary premium weathering-grade asphalt sealant that is blended by Owens Corning Roofing® and Asphalt, LLC.
- + The amount of Triple Layer Protection® may vary on shingle-to-shingle basis
- # International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.
- $^{\rm A}$ Excludes non-Owens Corning *roofing products such as flashing, fasteners, pipe boots and wood decking.
- 1 See Color Disclaimer information on page 3 for additional details.
- 2 Applies for all areas that recognize a Miami-Dade Notice of Acceptance (NOA).
- 3 Shingles are algae resistant to control the growth of algae and discoloration.
- § This coverage is effective 01/01/2023; Installation must include use of an approved Owens Corning® Hip & Ridge Shingle product. See actual warranty for details.
- StreakGuard* Algae Resistance Technology is not available in the Denver service area.
- 4 Owens Cornings® Black Sable shingle includes a patented design. SureNail® Technology is not a guarantee of performance in all weather conditions For Patent information, please visit owenscorning.com/patents.



OWENS CORNING ROOFING AND ASPHALT, LLC ONE OWENS CORNING PARKWAY TOLEDO, OHIO, USA 43659

1-800-GET-PINK* | 1-800-438-7465 www.owenscorning.com

Pub. No. 10013984-L. Printed in U.S.A. December 2022. THE PINK PANTHER* & © 1964–2022 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved. The color PINK is a registered trademark of Owens Corning. © 2022 Owens Corning. All Rights Reserved.

Product Attributes

Warranty Length*

Limited Lifetime

(for as long as you own your home)

Wind Resistance Limited Warranty*

130-MPH

Algae Resistance Limited Warranty*/

25 Years

Tru PROtection® Non-Prorated Limited Warranty* Period

Algae resistance

available in areas

shown in white.

10 Years

TruDefinition Duration Shingles Product Specifications

Nominal Size	13 ¹ / ₄ " x 39 ³ / ₈ "	
Exposure	55/8"	
Shingles per Bundle	Not less than 20	
Avg. Shingle Count per 3 Bundles	64	
Avg. Coverage per 3 Bundles	98.4 sq. ft.	

Applicable Standards and Codes

ASTM D3462

ASTM D228

ASTM D3018 (Type 1)

ICC-ES AC438#

ASTM D3161 (Class F)

ASTM D7158 (Class H)

ASTM E108/UL 790 (Class A)

PRI ER 1378E01

Florida Product Approval

Miami-Dade County Product Approval²













Less than 1% of contractors are Owens Corning Platinum Preferred Contractors. Put your trust in us.

Book Your Free Estimate Now

Click Here to Call!